

2001-2005 SIDS DEATHS BY COUNTY, AND RATE PER 1,000 LIVE BIRTHS

	Total Infant Deaths	Total Rate
RESIDENCE:		
NORTH CAROLINA	491	0.8
PCR I	32	0.8
PCR II	138	1.0
PCR III	74	0.6
PCR IV	68	0.5
PCR V	86	1.0
PCR VI	93	1.0
ALAMANCE	10	1.1
ALEXANDER	2	*
ALLEGHANY	2	*
ANSON	1	*
ASHE	2	*
AVERY	0	*
BEAUFORT	1	*
BERTIE	1	*
BLADEN	2	*
BRUNSWICK	7	*
BUNCOMBE	7	*
BURKE	3	*
CABARRUS	8	*
CALDWELL	5	*
CAMDEN	0	*
CARTERET	4	*
CASWELL	0	*
CATAWBA	12	1.2
CHATHAM	3	*
CHEROKEE	3	*
CHOWAN	0	*
CLAY	1	*
CLEVELAND	10	1.7
COLUMBUS	4	*
CRAVEN	3	*
CUMBERLAND	29	1.1
CURRITUCK	0	*
DARE	2	*
DAVIDSON	15	1.6
DAVIE	4	*
DUPLIN	4	*
DURHAM	7	*
EDGECOMBE	6	*
FORSYTH	15	0.6
FRANKLIN	2	*
GASTON	9	*

* Note: Rates based on less than 10 deaths are unreliable and should be interpreted with caution.
 Source: NC Department of Health & Human Services State Center for Health Statistics, 24AUG2006

2001-2005 SIDS DEATHS BY COUNTY, AND RATE PER 1,000 LIVE BIRTHS

	Total Infant Deaths	Total Rate
GATES	0	*
GRAHAM	1	*
GRANVILLE	2	*
GREENE	2	*
GUILFORD	26	0.9
HALIFAX	2	*
HARNETT	5	*
HAYWOOD	2	*
HENDERSON	6	*
HERTFORD	2	*
HOKE	2	*
HYDE	0	*
IREDELL	9	*
JACKSON	1	*
JOHNSTON	8	*
JONES	0	*
LEE	2	*
LENOIR	8	*
LINCOLN	2	*
MCDOWELL	2	*
MACON	2	*
MADISON	0	*
MARTIN	3	*
MECKLENBURG	32	0.5
MITCHELL	1	*
MONTGOMERY	3	*
MOORE	9	*
NASH	7	*
NEW HANOVER	3	*
NORTHAMPTON	0	*
ONslow	25	1.6
ORANGE	6	*
PAMLICO	1	*
PASQUOTANK	2	*
PENDER	1	*
PERQUIMANS	1	*
PERSON	4	*
PITT	6	*
POLK	0	*
RANDOLPH	10	1.1
RICHMOND	3	*
ROBESON	14	1.4
ROCKINGHAM	5	*
ROWAN	12	1.5

* Note: Rates based on less than 10 deaths are unreliable and should be interpreted with caution.
 Source: NC Department of Health & Human Services State Center for Health Statistics, 24AUG2006

2001-2005 SIDS DEATHS BY COUNTY, AND RATE PER 1,000 LIVE BIRTHS

	Total Infant Deaths	Total Rate
RUTHERFORD	4	*
SAMPSON	0	*
SCOTLAND	4	*
STANLY	5	*
STOKES	4	*
SURRY	4	*
SWAIN	1	*
TRANSYLVANIA	1	*
TYRRELL	0	*
UNION	7	*
VANCE	3	*
WAKE	21	0.4
WARREN	0	*
WASHINGTON	0	*
WATAUGA	2	*
WAYNE	8	*
WILKES	5	*
WILSON	5	*
YADKIN	1	*
YANCEY	0	*

** Note: Rates based on less than 10 deaths are unreliable and should be interpreted with caution.
Source: NC Department of Health & Human Services State Center for Health Statistics, 24AUG2006*